

Digitalisation of medicines: artefact, architecture and time

Tony Cornford,¹ Valentina Lichtner²

¹Department of Management, London School of Economics and Political Science, London, UK

²Leeds University Business School, University of Leeds, Leeds, UK

Correspondence to

Dr Tony Cornford, Department of Management, London School of Economics and Political Science, London, UK; t.cornford@lse.ac.uk

Accepted 1 May 2017
Published Online First
3 June 2017

Digitalization: 'The encoding of analogue information into a digital format and the possible subsequent reconfigurations of the socio-technical context of production and consumption of the associated products and services'.¹

This edition includes two papers reporting research from a 5-year study of electronic prescribing in English hospitals.^{2,3} The papers each address a significant safety and quality issue drawing data from the wider study. These issues are the level of coordination and integration that electronic prescribing systems achieve,³ and the emergence of 'workarounds' as managers and clinical users adapt electronic prescribing systems' capabilities to their needs and working environment.² The risks to patient safety posed by these systems, their implementation and use are further explored in a third associated paper published elsewhere.⁴

Workarounds were found to be either 'informal' or 'formalised' practices, the former derived from user innovations, the latter promoted and endorsed by management. Both types involved the use of other 'intermediary systems', such as paper or other software.² While workarounds can create new risks and are an opportunity for safety issues to emerge, the study does acknowledge the positive role of workarounds in permitting poor usability of systems to be addressed, as 'intentional strategies to help users gradually get used to a new system', and as a means to support local innovation and tailoring.

The issue of integration of information is a common theme that crosses both studies. Workarounds, arguably, serve to better integrate information into work practices while the interfacing of multiple digital systems can provide a more coherent and timely flow of information. The research reports that even integrated hospital-wide systems were found not to interface well with external

systems.³ It is important to note that the systems considered for integration with electronic prescribing in these studies are not necessarily medicines' systems (eg, in pharmacy) — they include also administration, imaging, laboratory or specialty systems, and the systems are not differentiated in terms of the data they hold — whether about medicines, or patients or other operational data.

For the organisation, the choice between the *integration* provided by integrated hospital-wide EHR (Electronic Health Record) packages or *interfacing* ('knitting together' different standalone software — sometimes described as a 'best of breed approach') was found to pose a complex set of trade-offs among a 'range of considerations, of which patients safety is only one'.³

These studies provide valuable and detailed accounts of the state of the art in electronic prescribing in England. They also offer an opportunity to reconsider how we conceptualise the role of digital technology in improving the way medicines are used. To do so, we identify three interlinked contemporary themes to add to or recast those emerging from these papers and described above. The three additional themes are (1) considering the medicine itself as a 'digital artefact', (2) the significance of time in medicines use and (3) the architectures of the digital systems supporting medicines use. Taken together these may invite a change in scope and focus of the discussion of electronic prescribing — to move from task orientation (prescribing, administration, discharge) to an institution-wide or even system-wide perspective that emphasises data and communications infrastructures in support of new services and processes specifically for 'digital medicines'.

MEDICINES AS DIGITAL ARTEFACTS

Digital Artefacts: Editable, interactive, reprogrammable, and distributable



► <http://dx.doi.org/10.1136/bmjqs-2015-004925>
► <http://dx.doi.org/10.1136/bmjqs-2015-005149>



CrossMark

To cite: Cornford T, Lichtner V. *BMJ Qual Saf* 2017;**26**:519–521.

resources. Their value and utility is contingent on shifting webs of functional relations with other artefacts across contexts and organizations.⁵

When considering the implementation and use of digital systems such as electronic prescribing, it is easy to focus on the task at hand and forget the physical artefacts these systems represent and combine with—in this case, medicines. Medicines are products with multiple physical and digital realisations and representations, representations that are potentially editable, interactive, reprogrammable and distributable. Thus any given medicine will exist in many different databases, including manufacturing and supply chain, research and clinical trials, regulation and licensing, institutional stock handling, protocols and guidelines, electronic prescribing, dispensing and administration, as well as in patient records and other registries. However, the digital artefact, as a summation of such representations, has not shaped how we have thought to date about electronic prescribing and other medicines-related systems. Each partial digital representation has been taken more or less as separate and relating to a particular task, place and time.

More focus on the medicine as a data-rich digital artefact may lead to increased awareness that medicines are different one from another in many dimensions, including their storage, transport, legal and regulatory status, protocols of use, and in the ways that they ‘match’ the patient’s needs. Recognition of this may yield new capabilities for safer use of medicines. The logic of the current generation of electronic prescribing systems, as studied in the papers considered here, is that all medicines can be accommodated within the constraints of limited preset functionality and on the basis of a given database. Thus, a primary motivation for workarounds, as suggested by Cresswell *et al*,² is the recognition that a particular medicine does not ‘fit’ the system’s assumptions.

MEDICINES IN TIME AND SPACE

Medicines are artefacts with a complex time dimension. Safe use of medicines is fundamentally related to their being made available at the right time and right place. Thinking of medicines as digital artefacts can offer powerful means to control time and place—to position medicines at the time and place when they are needed (eg, in the warehouse, in the automated dispensing machine, on the drug trolley, ready for patient discharge), and to monitor the timeliness of activities (eg, dispensing, transport, administration). This can serve in process improvements and potentially cash-saving efficiencies, including in the management of logistics and supply chains.⁶ The ability to better account for temporality of the artefact may also lead to the design and implementation of better software with interfaces and decision support that confidently draw on temporal data. Of course, such capabilities

will also offer new potential to create errors of time and place—to mislocate medicines or to mis-specify time controls.

Time and place dimensions are also apparent in electronic prescribing systems implementation and support processes, as evident from the studies considered here. System roll-out and user adoption take time; they take place in time and across locations as work processes adapt and change (including workarounds); implementation should not be conceived as a one-off task, but as an adjusting and evolving process over time, that is directed in part by data on medicines accumulated during system use. Thus the medicine as a digital artefact can ‘know’ its own history and use these data to help innovate behaviours.

ARCHITECTURES AND INFRASTRUCTURES

Cresswell *et al*³ suggest that to achieve even minimal integration of electronic prescribing with other hospital systems, the hospitals they studied faced a bald choice between adopting a single integrated bundle of inflexible software and functionality, or taking on the task of interfacing their chosen electronic prescribing software with other systems. Future generations of electronic prescribing software may need a new architecture to help institutions get beyond this dilemma. Achieving the safety and efficiency benefits from viewing medicines as digital artefacts will require common, shared, networked, services in support of integrated working—a digital medicines infrastructure. How might we get there?

We know from recent research that the way digital infrastructures emerge and develop is different from how our current generation of electronic prescribing systems and electronic patient records have been developed. The packaged software and commercial off-the-shelf solutions used for electronic prescribing today are for the most part based on proprietary code and limited, task-focused, requirements analysis. Digital infrastructures, in contrast, evolve as they respond to and meet multiple needs⁷. The resulting architecture focuses on providing shared services, and their cultivation and evolution (see [box 1](#)).

We are today in the earliest phases of developing the standards and resources that open up the option of a digital medicines infrastructure at the hospital scale and upon which multiple services might be built. Why, for example, should a hospital not be able to deploy services that allow a prescriber to look at the stock of a medicine, its price, its use for other patients/patient groups, current research and so on? Such a case looks beyond separate software-driven islands for procurement, prescribing, dispensing, administration, discharge, research, audit and so on, and moves towards a core digital artefact, served by a new infrastructure that allows multiple software applications to support safe and context-relevant work practices reflecting a rich detail of specific medicines.

Box 1 Six core concepts of digital infrastructure adapted from⁷

- ▶ Shared: a digital infrastructure is shared by the members of a community.
- ▶ Evolving: a digital infrastructure is not designed or created in a single act, but evolves continually as it expands in scale and is adapted for new purposes.
- ▶ Open: a digital infrastructure is available for new users and new uses.
- ▶ Standardised: a digital infrastructure needs agreed common standards to ensure its functional integrity and allow it to scale up.
- ▶ Heterogeneous: a digital infrastructure consists of different elements: technology, users, organisations, governance.
- ▶ Installed base: a digital infrastructure will build on, expand and integrate previous systems and services.

At one level, such an infrastructure is just a step or two on from the ‘interfacing’ model that Cresswell *et al* introduce.³ However, infrastructures have another essential and valuable quality—that of *generativity*, ‘a system’s capacity to produce unanticipated change through unfiltered contributions from broad and varied audiences⁸.

In providing services that support the flexible and open sharing and mixing of digital artefacts (medicines but also patients, samples, tests, population data, demand data and so on), the opportunity for ‘contributions’ from the broader community is reinvigorated. Today, as Cresswell *et al* note,² the users of electronic prescribing software have limited opportunities to take their own ideas and make them work. By separating the *infrastructure layer*, where digital artefacts and associated services are made available to share, from the users’ *applications layer*, this engine of innovation—including innovation in safety—may be restarted⁹.

Acknowledgements The authors acknowledge research funding from Research Councils UK for the ‘Delivering Digital Drugs’ project, part of the ‘New Economic Models in the Digital Economy’ programme, grant reference EP/L021188/1.

Competing interests None declared.

Provenance and peer review Commissioned; internally peer reviewed.

Published by the BMJ Publishing Group Limited. For permission to use (where not already granted under a licence) please go to <http://www.bmj.com/company/products-services/rights-and-licensing/>

REFERENCES

- 1 Yoo Y. Digital Materiality and the Emergence of an Evolutionary Science of the Artificial. In: Leonardi P, Nardi B, Kallinikos J, eds. *Materiality and organizing: social interaction in a technological world*. Oxford: Oxford University Press, 2012:134–54.
- 2 Cresswell KM, Mozaffar H, Lee L, *et al*. Workarounds to hospital electronic prescribing systems: a qualitative study in English hospitals. *BMJ Qual Saf* 2015;26:542–51.
- 3 Cresswell KM, Mozaffar H, Lee L, *et al*. Safety risks associated with the lack of integration and interfacing of hospital health information technologies: a qualitative study of hospital electronic prescribing systems in England. *BMJ Qual Saf* 2017;26:530–41.
- 4 Mozaffar H, Cresswell KM, Williams R, *et al*. Exploring the roots of unintended safety threats associated with the introduction of hospital ePrescribing systems and candidate avoidance and/or mitigation strategies: a qualitative study. *BMJ Qual Saf* 2017;bmjqs-2016-005879.
- 5 Kallinikos J, Aaltonen A, Marton A. The ambivalent ontology of digital artefacts. *MISQ* 2013;37:357–70.
- 6 Volland J, Fügner A, Schoenfelder J, *et al*. Material logistics in hospitals: a literature review. *Omega* 2016.
- 7 Hanseth O, Bygstad B. Flexible generification: ICT standardization strategies and service innovation in health care. *Eur J Info Systems* 2015;24:645–63.
- 8 Zittrain J. *The future of the internet and how to stop it*. London: Alan Lane, 2008.
- 9 Mandl KD, Kohane IS. A 21st-Century Health IT System—Creating a Real-World Information Economy. *N Engl J Med* 2017;376:1905–7.