The publishers could have been kinder to a European audience. The text would have benefited from shortening, and much of the data in the appendices could have been eliminated. A 100 page softback handbook would be just as helpful and cheaper.

One final observation. The title, *Curing Health Care* – an odd concept as doctors seldom cure anything and quality is about improvement, not answers – and the medical jargon in several chapter headings – for example, “symptoms,” “diagnostic journey,” and “remedies” – are presumably intended to target doctors by making them feel at ease, which is fine, if rather stilted. However, the authors then extend this thinking by arguing that the principles underpinning the project are based on “the scientific method.” This seems to imply two things: that doctors’ practice is really embedded in scientific method (not my experience) and that to change clinical practice the scientific hypothesis has to be shown to have been proved correct. My experience suggests that doctors are not such rational human beings! For example, despite Donabedian’s masterful work in the ’70s² and Maxwell’s³ and Berwick’s¹ seminal papers in the ’80s the ability of the medical profession to ignore and avoid addressing quality is striking.

But I am carping. The book is very readable; full of energy and excitement; and, if used astutely, could ferment much needed change in our hospital services.

JOHN MITCHELL
Fellow, Kings Fund College

- 1 Berwick DM. Continuous improvement as an ideal in health care. *N Engl J Med* 1989;320: 53–6.
- 2 Donabedian A. *Exploration of quality assessment and monitoring*. Vols 1, 2, 3. Ann Arbor, Michigan: Health Administration Press, 1980.
- 3 Maxwell RJ. Quality assurance in health. *BMJ* 1984;288:1470–2.

MEETINGS REPORTS

Quality management and clinical audit. Study visit to the Netherlands, June – July 1992

Twenty delegates with clinical management backgrounds from across the United Kingdom participated in a three day visit to the Netherlands to study quality management and clinical audit processes. In particular, health care professionals in Britain need to be more aware of the developments in health in other countries, leading to the potential cross-fertilisation of ideas.

A national initiative led by Angela Schofield from the health services management unit at Manchester University, Charles Shaw from the clinical

audit unit of Bristol University, and Michael Deighan from Management Development Group of the National Health Service in Scotland, the visit was arranged and coordinated by Drs Paul Touw and Niek Klazinga of CBO (the national organisation for quality assurance in the Netherlands and collaborating centre for the World Health Organisation in quality assurance), widely regarded as an international leader in quality assurance.

The experience of CBO in quality stems from 1976 and continues to expand through a “consultancy” approach to clinical audit facilitated by doctors and other clinicians. CBO has also spear-headed international developments in consensus conferencing whereby national guidelines on a specific topic are developed by (medical) professional bodies and then transferred to local hospital level, becoming a principal topic for developing local standards and care planning.

The programme included visits to centres of excellence in quality assurance and clinical audit implementation with presentations by clinicians at the Academic Medical Centre, Amsterdam, and Stichting Deventer Ziekenhuizen, Deventer; presentations by CBO teams; opportunities to continue to debate specific topics in small workshops with experts; and time to examine and debate topics of common interest with experts.

Statistics and background theory presented on the first day allowed the delegates to widen their agendas and expectations for the subsequent visits to the hospitals. Both institutions dedicated an entire day with several senior clinicians and managers ensuring that delegates were entirely satisfied and fully informed. During the visits, the delegates examined management and medical structures; current operational and long term strategies; areas of concern where development was required; and, of course, whether all areas of the hospitals were meeting patients’ expectations. It is pertinent that the chief executives of both hospitals had previously been practising physicians – a somewhat unusual situation in the United Kingdom.

Subsequently, listening to presentations by the teams at CBO, the delegates had little doubt that what exists in the Netherlands is a centre of excellence which has been empowered to promote quality assurance activities nationally and support local implementation plans; the organisation has specific professional development programmes which attract key doctors and health care professionals from all over the country.

During the debates on the final day the delegates explored particularly the issues in promoting and developing quality management and quality assurance for the lawmakers (government, management executives, regions), purchasers and fundholding general practitioners, district medical units and trusts, professional bodies, academic institutions, and consumers. Two major statements emerged: quality management and the

move to clinical audit requires a strategic approach supported by the key stakeholders, as has been clearly demonstrated by the approach adopted in the Netherlands, and quality improvement is the responsibility of all health care professionals and requires continuous attention; continuous quality improvement needs to be emphasised, but quality should not become the preserve of one professional group. Managers in the Netherlands have a greater desire (and receive more encouragement) to join professional societies and thus to influence and share in decision making. The Dutch experts emphasised the need for rapid development of clinical audit and quality initiatives as multidisciplinary (agency) functions. One way to achieve this is by introducing a national body for quality assurance in health care to work with legislators and carers alike, whose focus is wider than that of practising professionals and can influence undergraduate and postgraduate thinking – a body operating as a think-tank, with the appropriate time, skills, and funding to amalgamate strategic managerial quality and clinical quality strategies. Such an organisation would need to guard against developing an elitist attitude as it became stronger.

The general consensus was that the visit had been invaluable; the delegates intended to continue to review their thinking regularly by forming learning networks. Nevertheless, modifying health care in Britain on the Dutch model may be difficult to achieve and require much wider explanation of the Dutch approach to be implemented successfully.

MICHAEL DEIGHAN
Fellow, World Health Organisation, and Project
Management Consultant, The NHS in Scotland
SHIRLEY WATT
Management Development Adviser, The NHS in
Scotland

Welsh Advisory Group on Nursing and Midwifery Audit (WAGNA) conference, Llandrindod Wells, October 1992

Two hundred delegates from Wales attended the first conference of WAGNA to launch the nursing and midwifery audit strategy and to announce the funding of audit development sites in Wales. In launching the strategy, Miss Marian Bull, chief nurse for Wales, gave it unequivocal support. Based on the view that education for audit and ownership of the audit process by nurses at clinical level are fundamental for audit to achieve improvement in clinical practice and patients’ experience, the strategy aims at encouraging freedom of approach by clinical nurses within a coordinated and supportive framework. The nursing and midwifery audit adviser and coordinator for Wales explained the strategy’s aim of involvement of practitioners and their ownership of the process – supporting local initiatives within a shared vision rather than imposing a central model.

There are four major themes for implementing the strategy. Firstly, a programme of education for audit, both formal and informal, will be available throughout Wales. Secondly, two audit facilitators, one based in Bangor and one in Swansea, will be appointed to support the training programme and provide practical help, guidance, and support for nurses developing audit and to complement that given by the audit adviser and coordinator. Thirdly, audit development sites, where audit techniques can be refined and developed and used as demonstration areas for the rest of Wales, are to be set up. The five sites are at Gwynedd Hospital, Bangor, for work to improve discharge arrangements for elderly medical and surgical inpatients; at Wrexham Maclor Hospital, Clwyd, for work in a multidisciplinary audit of rehabilitation of patients with stroke; at Rhondda Health Unit, Mid-Glamorgan, for developing Wilson's model of quality assurance for hospital and community settings; and at Gwent Family Health Services Authority, for developing audit of the practice nurse service.

Finally, growing out of these activities a network and communication system will be developed, whose aim is to put nurses in touch with others with similar audit interests and to help to disseminate information. The network will also link into existing networks such as the Royal College of Nursing's quality assurance network (QUAN) and the King's Fund nursing audit database to encourage nurses to share their ideas more widely.

Guest speaker Professor Alison Kitson, director of the Institute of Nursing in Oxford, discussed factors influencing the implementation of audit. From her research findings on nurses' contribution to pain relief in surgical patients and the relations between stages of the quality assurance or audit process and the patient's experience she told delegates how good preparation and education are essential to implementing audit.

Professor Christopher Maggs, RCN professor of nursing research at the University of Wales College of Medicine, welcomed the strategy's emphasis on communication and further emphasised the need for nurses to have time to talk to each other about developments in their practice. He saw audit as a mechanism for making accountability operational and that it must be seen as a part of a much bigger professional picture, not an end in itself.

The conference ended with the announcement of further available grants to help with smaller projects.

JUNE GIRVIN
Nursing and Midwifery Audit Adviser and
Coordinator for Wales,
Welsh Audit Unit

Further details of the Strategy for Nursing and Midwifery Audit in Wales are available from June Girvin, 42 The Parade, Roath, Cardiff (tel 0222 453755).

Medical audit and medical research. Joint conference organised by Northern Regional Health Authority and the University of Newcastle upon Tyne, Newcastle upon Tyne, September 1992

A lot of energy, time and money is being spent on the independent national initiatives for medical audit and medical research. The purpose of this conference was to stimulate debate about benefits of these initiatives by actively addressing the key questions about audit and research. The conference was well placed to explore links between audit and research and to discuss approaches for evaluating the effectiveness of audit and for auditing or evaluating research programmes as the speakers included the national director of research and development, senior health service researchers, academic clinicians, the editor of the *BMJ*, and researchers with experience of evaluating the implementation of audit.

How do audit and research differ? There was a reluctance to demarcate audit and research. The boundary between audit and research was considered to be subtle; fuzzy; and, perhaps, unnecessary. But clear and agreed fundamental differences emerged. Research aims at extending knowledge whereas the function of audit is to promote the proper and efficient application of the research findings. Research seeks out generalisable truths and audit discovers whether these truths are applied locally. Research controls and, when possible, fixes the environment to make measurement easier but audit measures a natural and often changing environment. Research continues until the question is satisfactorily answered but questions answered once through audit will have to be asked, and answered, again, to achieve continuous quality improvement in patient care.

Audit and research were clearly perceived as complementary activities. Cooperation between them, not competition, is necessary. But medical audit is not yet on the national research and development agenda.

How are audit and research similar? Audit and research are both problem solving activities and require rigorous methods to achieve results. Both are concerned with understanding cause and effect and both need reliable and valid data. Both are assisted by variation, which provides a key for analysis. Audit and research depend on a high degree of professional involvement. Neither works well if externally directed but both need managing in a cooperative style. Both have the same ultimate objective – that is, better quality medical care. This includes evaluation of care and early and effective diffusion of knowledge. Adequate professional and financial resources with appropriate support structures are necessary for both audit and research. As the national research strategy is focusing more on problems, rather than hypotheses, a close relationship between audit and research will be crucial.

How do audit and research interrelate? If research is about discovering the right thing to do and audit about whether the right thing is being done and is achieving expected results, then the interrelation between research and audit is clear. Audit should automatically follow the implementation of research. The results of audit are important to researchers as well as to practitioners because audit demonstrates the gaps and imperfections in current knowledge and thus can stimulate research.

The quality of research is an important issue. The problems of assessing research are similar to those of assessing medical practice. Currently, appraisals of research quality are more concerned with qualitative peer review and measures such as citation numbers and "impact factors" of journals. The available measures are retrospective, but "foresight" indicators are needed to predict good research.

Is audit effective? The conference accepted that audit projects are often effective and achieve their goals, though the effect may be transient. Furthermore, guidelines, especially when internally devised, do change practice.

Agreed objectives are clearly needed for the evaluation of audit. But the objectives of funding bodies may differ from local objectives, and they may also vary between local units. The essential questions that need urgent answers are: is routine audit, as opposed to audit by enthusiasts, effective; is audit cost effective; and is audit effective at an organisational as well as a project level?

Some approaches and methods for answering these questions were outlined. One presentation demonstrated that the cost effectiveness of an audit to assess the use of thrombolytic therapy for myocardial infarction in five hospitals depended on the degree of change, which was least in the hospital which already had high standards of care.

To make audit more effective, it was argued, requires its integration into the science cycle, which, put simply, would entail summarising knowledge, devising standards, devising methods, calculating sample size, undertaking the audit with valid and reliable data collection methods, feedback of results using easily assimilated graphs, workshops to agree changes, and then working round the cycle again. But one major problem is how to change professional behaviour, sometimes a difficult process even in the face of compelling information. Research and audit may need to find opinion leaders to stimulate and support change.

What is the future of audit and research? Research and audit will be increasingly and closely scrutinised to prove their worth and to assess how they can be made more effective, especially in a worsening financial environment. Research will be audited and audit researched. Variety of approach for evaluating audit was proposed and this included an appropriate emphasis on qualitative methods.

Among the recognised threats to audit were that, as with peer review methods in

the audience, and the discussion that followed made me feel confident about the future of audit. There seemed to be general agreement that audit at the practice level is an essential component of day to day management and not simply a cosy educational exercise controlled by the profession. But there is more than that. There was also agreement that at a higher level there was a need to broaden audit through cooperation between MAAG and FHSA so that a similar relationship to that within the practice could develop. The proposal for the future expansion of MAAGS into clinical audit advisory groups appeared to go largely unchallenged, the central role of audit in the improvement of quality was accepted, and there was some confidence that audit would justify financial investment. I left with a sense of optimism. Audit is in the process of developing into a broad system to ensure quality. Perhaps we are finally on the threshold of the quality revolution.

RICHARD BAKER

Director, Eli Lilly National Medical Audit Centre

Clinical audit 1993 – collaborating for quality in the management of clinical care. NHS Management Executive clinical audit conference, Nottingham, February 1993

All the healthcare professions were well represented among the 400 delegates at this one day conference, whose theme was how to progress from a uniprofessional to a multiprofessional approach to audit. The chief medical officer, Dr K Calman, chaired the morning plenary session and the chief nursing officer, Mrs Y Moores, chaired the afternoon plenary session, demonstrating the commitment by the Department of Health to clinical audit.

Dr Calman placed importance on clinical audit being professionally led and on effective communication of results. But it must be patient focused and linked with management. Mrs Moores emphasised the need for integration across the boundaries of primary care through to tertiary care and that audit should be an integral part of clinical activity. This would not be fully achieved until audit becomes part of the educational curriculum, and the question of whether this can match the pace of change was raised. Echoing Dr Calman's statement of the need for information sharing at national level, she stated that subscribing to a philosophy of a quality health care service can only promote this issue.

Brian Edwards, general manager of Trent region, spoke of audit as a sign of maturity in an organisation and emphasised the role of management in helping to process issues arising from audit and that audit must become part of core funded services. Practical steps in clinical audit, presented by Charles Shaw, raised a series of questions. Recognising that guidelines for medical audit have been poor, we must learn to implement clinical audit in a robust, quantified

manner. He advocated keeping topics for audit simple and relevant and tackling issues that could be reviewed in a short time to measure change. He also discussed the issue of time for audit; most people allocate 5% of their working time for audit – that is, half a day per month – and this must be agreed with provider and purchaser managers.

The subject of who drives audit in a clinical setting was not discussed at length. Audit committees in hospitals are tackling this issue, and in a discussion with hospital and general practitioners, it was obvious there was a difference between these groups. It would be interesting, for example, to know how many medical audit advisory groups have clinical rather than purely medical representation – even their name is outdated.

Offering audit "packages" was a project from Tamar (Working Well in Tamar), illustrating one of the approaches of the Royal College of General Practitioners to audit – that of utilising an audit agency, which seems to be successful, although no follow up data on review of any package were presented.

Talks on clinical audit in hospital focused on collaboration between different professional staff, with the patient as the focus. Perhaps next year presentations will include patient-organised audit of patients' views on hospital care. The Clinical Outcomes Group is considering patients' views and to that end has taken on two lay members. The message from Dr Calman and Mrs Moores was that they saw clinical audit as having a significant contribution to make to this group.

It was clear from the conference that, although many groups are doing audit, the dissemination of results and coordination of tasks is rather fragmented. The poster session was divided into regions and specialised audit groups – for example, the King's Fund and National Nursing and Therapy Audit network – and a phenomenal variety of audits was presented. Some posters showed a lack of hard data, trends to improvement being reported rather than statistical results, and an emphasis on quality measures rather than review. Audit is difficult to measure accurately, but some figures would have been of more value for comparing between groups.

Clinical audit is high on the agenda in the NHS as a measure to improve the quality of care. It must be patient focused and multiprofessional in approach, with sharing of methods and results between the multifarious groups engaged in clinical audit. However, this laudable aim is not easy to reach, for although many people want clinical audit to thrive, the irony is that if teamwork was total, clinical audit as an approach to quality improvement would be the norm. The need to drive clinical audit from the centre highlights the prevailing fragmented approach to patient care. Hopefully, clinical audit can act as the thread to hold together the fabric of a truly integrated, patient centred approach to health care.

MARJORIE WALKER
Clinical Audit Lead

Correction

An author's error occurred in the report of the Welsh Advisory Group on Nursing and Midwifery Audit conference (*Quality in Health Care* 1992;1:273). The fifth audit development site in Wales – East Dyfed Mental Health Services, developing an audit based on therapeutic interventions – was omitted.

COMMENT

Microbiology Accreditation and Quality Assessment Schemes in the UK: Measuring up to Standards.

Roberts C, Kelsey MC, eds (pp 32; £3.50). Association of Medical Microbiologists

As the editors state in their introduction to this booklet, this is a guide to the various schemes available and not a critical analysis of their strengths and weaknesses. All of the authors are involved in the schemes which they describe. Four accreditation schemes are covered, together with three principal quality assessment schemes. One of these, the UK National External Quality Assessment Scheme, has several subschemes, three of which are included.

Medical and environmental microbiology has become a high profile activity in the past decade. Microbiologists need an introductory guide such as this to help them to determine which schemes are most appropriate. Membership of appropriate schemes will become essential. The introduction helps by clearly differentiating between quality assurance, quality control, and quality assessment and by listing several key issues that need to be considered.

The ten papers are concise and well written. Where relevant they describe how the schemes have evolved, and they strike a balance between too much and too little detail; most provide a few key references.

The booklet will be of value to medical and environmental microbiologists because it gathers together useful information from disparate sources. It is also a good starting point for anyone who wishes to look at these schemes in greater depth.

CHARLES EASMON
Professor of Microbiology

Arthritis Care Quality Guidelines No 1. Primary Health Care for People with Arthritis. London: Arthritis Care, 1992

Arthritis Care is a national charity which supports arthritis sufferers in the community as well as raising funds for local and national projects designed to help patients with arthritis. Representing the lay voice on many clinical and scientific bodies involved in rheumatism and arthritis, this organisation is well placed to develop quality guidelines which