

Towards comprehensive fidelity evaluations: consideration of enactment measures in quality improvement interventions

Holly Walton 

Department of Applied Health Research, University College London, London, UK

Correspondence to

Dr Holly Walton, Department of Applied Health Research, University College London, London, WC1E 6BT, UK; holly.walton@ucl.ac.uk

Accepted 4 September 2023
Published Online First
15 September 2023

Within healthcare services worldwide, there is a continual emphasis on innovation, including the development, evaluation and improvement of new and existing healthcare interventions and services to improve patient outcomes. In addition to evaluating efficacy, it is also important to evaluate how innovations are used in ‘real-world’ settings. A key part of this is process evaluation: understanding how interventions and services are implemented and engaged with. For example, recent Medical Research Council guidance on researching the effectiveness of complex interventions highlights the importance of measuring implementation and context, including the measurement of ‘fidelity’.¹

‘Fidelity’ has been proposed to have five related domains, including fidelity of design, training, delivery (whether intervention components, as outlined in the intervention protocol, are delivered as planned), receipt (whether participants understand and are able to perform required skills) and enactment (whether participants use skills in daily life).² Both receipt and enactment have been defined as constructs of ‘engagement’, as they focus on behaviours of intervention participants, rather than the intervention developers or providers.³ While receipt and enactment are constructs of engagement, it is important to distinguish between them when measuring ‘engagement’. For example, measuring receipt can help researchers to determine whether participants have received and understood intervention content, and measuring enactment can help researchers to understand whether receiving the intervention content leads to changed behaviour in

terms of enacting intervention components in daily life. As enactment is likely to be an intermediate variable in the causal pathway,⁴ it is expected that participants’ enactment (or lack of enactment) of intervention skills would impact on intervention outcomes. Understanding both receipt and enactment is therefore crucial in supporting researchers and/or service developers to understand whether intervention effects (or lack of) may be attributed to levels of engagement.²

MEASURING ENACTMENT OF QUALITY IMPROVEMENT INTERVENTIONS

Measuring enactment may be challenging, as it requires measurement of the performance of intervention skills and behaviours within complex healthcare interventions and services. Additionally, there is a lack of consensus on how best to measure participant enactment, and there is a need for the research community to collectively consider how best to evaluate and measure enactment.

In this issue of *BMJ Quality & Safety*, Ginsburg *et al*⁵ describe the development and validation of a novel measure of enactment called the ‘Overall Fidelity Enactment Scale for Complex Interventions’ (OFES-CI). The measure was developed in the context of a quality improvement intervention delivered by healthcare aides in nursing homes to improve resident care, and is intended to be applicable to the full range of quality improvement interventions and other complex interventions. Future research will hopefully establish the validity of the new measure for other intervention contexts and participants.⁵



► <http://dx.doi.org/10.1136/bmjqs-2023-016001>



© Author(s) (or their employer(s)) 2024. No commercial re-use. See rights and permissions. Published by BMJ.

To cite: Walton H. *BMJ Qual Saf* 2024;**33**:78–81.

The new measure uses ‘expert’ rater scores to quantify enactment. The validity of these scores was established by comparison with coded secondary qualitative data that had been collected during the wider process evaluation. These data comprised diary entries from quality advisors, open-ended survey questions completed by research participants and observations conducted by trained members of the research team.⁵ The authors demonstrated that the OFES-CI tool was reliable, had face validity and was feasible to implement.⁵

Ginsburg *et al* have filled an important gap in the literature, as a 2017 systematic review found that few previous studies have focused on enactment.³ This could be due to a lack of consensus about the role of enactment in fidelity assessments. For example, some researchers have suggested that it may be difficult to measure enactment due to complexities of enactment behaviours being easily confused with intervention outcomes.⁶ Additionally, some researchers may perceive enactment to be a measure of intervention effectiveness instead of fidelity.^{7 8} Given the lack of research focusing on enactment to date, the development of an enactment measure is welcomed.

Previously, a variety of methods have been used to measure engagement (including receipt and enactment). Methods have included: participant and provider self-report, reviewing attendance and other intervention records, direct observation and reviewing how many of the intervention components were used by participants.^{3 8-10} Within healthcare service research, registry data (eg, Stephens *et al*¹¹) and self-report methods (eg, van Schie *et al*¹²) have been used to explore the use of implementation strategies within hospitals following quality improvement interventions. Self-report methods have also been used to determine whether patients enacted COVID-19 remote home monitoring activities (eg, Walton *et al*¹³). However, there is currently no consensus on how best to measure enactment or engagement more broadly.³ There have been calls for the development of high-quality measures of engagement (including enactment) that are acceptable and feasible to use, reliable and valid.³ Therefore, the study by Ginsburg *et al*⁵ extends previous research by considering one way in which it may be possible for researchers to objectively evaluate enactment with high reliability. This is comparable with the gold-standard measure of fidelity of delivery in which multiple researchers reliably rate transcripts of audio/video-recorded intervention sessions.^{2 14} The authors’ approach to enactment measurement is also novel and unique as it builds on the approach used in objective structured clinical examinations.⁵

IMPLICATIONS FOR OTHER COMPLEX INTERVENTIONS

The methods outlined in Ginsburg *et al*⁵ could provide a potential method which may support objective

evaluation of enactment in some settings and situations, yet it is important to consider whether and how this method can be adapted to evaluate other interventions or services. For example, appropriate methods for measuring enactment may differ depending on the type of intervention and differences in complexity (see 1 15 16 for a discussion around complexity of interventions). Measuring enactment for ‘simple’ interventions, such as medication trials, may differ from measuring enactment of ‘complex’ interventions (delivered within randomised controlled trials) or measuring enactment of ‘complex’ interventions that are already embedded within healthcare services. Ginsburg *et al*⁵ discuss how their study provided an opportunity to evaluate enactment within controlled settings (comparable with clinical examinations), but that further research is needed to explore how methods can be used to observe enactment within real-world settings.⁵ While these methods may be useful for identifying training gaps that need to be improved, it is not yet known whether the methods outlined in Ginsburg *et al*⁵ can be used to evaluate real-world enactment of intervention skills or inform quality improvement initiatives within real-world settings.

Enactment relates to whether intervention participants use the intervention skills in practice; therefore, enactment and engagement more generally have often been explored within healthcare interventions from the perspectives of patients and carers (eg, 9 13 17). The study by Ginsburg *et al*⁵ has a quality improvement focus and evaluates the implementation of an intervention for healthcare providers. Therefore, in Ginsburg *et al*,⁵ the study is set up so that the healthcare aides are the recipients of the intervention, which is delivered by the intervention team. As such, the measure of enactment aims to explore whether the healthcare providers enact the intervention activities/skills in practice.⁵ This contrasts with other studies of enactment whereby healthcare professionals would deliver the intervention to patients and/or family members (recipients) (eg, 9 17). However, it is important to note that within quality improvement, interventions may focus on healthcare providers and/or patients or family members as recipients of quality improvement interventions (eg, Kamity *et al*¹⁸). It is therefore important to ensure that researchers select measures of enactment that are appropriately tailored towards the recipients of their quality improvement intervention. Previous research has suggested that researchers should develop high-quality measures of fidelity, including enactment, that are reliable, valid, acceptable and practical to use.^{3 10} However, the appropriateness and feasibility of enactment measures may depend on who the intervention recipients are. For example, as the method outlined by Ginsburg *et al*⁵ builds on clinical examination approaches, it may be best adapted for use in other quality improvement interventions targeting healthcare professional behaviours. On the

other hand, the measurement of enactment of quality improvement intervention behaviours by patients and/or family members may require consideration of other methods, such as self-report, video-recording or ethnography.

Some complex interventions and quality improvement interventions have clearly identified roles in terms of who provides the intervention and who receives the intervention. For example, interventions whereby healthcare providers are given an intervention manual and trained to deliver the intervention to patients and/or family members as recipients (eg, 9 17 19) or interventions where intervention developers provide an intervention to healthcare providers as recipients (eg, Ginsburg *et al*⁵). This in turn provides clarity on who is the target of measurements for fidelity of delivery (the intervention providers), receipt and enactment (the intervention recipients). However, in theory, quality improvement interventions could be multifaceted and multilevelled. For example, healthcare providers could be both intervention providers and recipients within the same complex quality improvement package. For example, intervention providers could receive parts of the intervention to change their behaviour, but also could be trained to provide parts of the intervention to patients and or family members. In these scenarios, researchers would need to measure fidelity of delivery of the intervention components at both levels (those delivered to the healthcare providers and those delivered to patients and carers). Equally, the researcher would need to measure receipt and enactment of intervention skills/activities at both levels (receipt and enactment by healthcare providers and receipt and enactment by patients and/or family members). Therefore, it is important that intervention developers and researchers develop a logic model through which the different levels of the intervention are clearly specified and within which the 'intervention providers' and 'intervention recipients' are clearly specified. This will support researchers to develop comprehensive fidelity evaluations that include targeted measures of fidelity of delivery, receipt and enactment.

One limitation and area for future research highlighted by Ginsburg *et al*⁵ is the need for research exploring factors that influence enactment, to develop strategies to improve enactment where needed. The factors influencing fidelity, including enactment, have been explored in other studies (eg, 11 13 17 19 20) and offer insight into steps required to improve fidelity of interventions and services in future. This emphasises the need for triangulation of qualitative and quantitative methods when planning process evaluations.

It is well-known that process evaluations should be conducted alongside trials of complex interventions; however, evaluating fidelity of complex quality improvement interventions may be less well considered, yet equally important. Therefore, it is important that researchers consider and measure fidelity of

quality improvement interventions⁴ and attention should be given to measuring enactment as part of these evaluations. However, as discussed, there are many options for measuring enactment for researchers to choose from (including measures that are objective and measures that are subjective). While it is important that researchers aim to measure enactment using measures that are high quality (that is reliable, valid, practical and acceptable), the type of measure that researchers choose to use may depend on various factors, including: who the recipients of the intervention are, the setting in which enactment is being measured, the type of enactment skills/activities that need to be measured, the complexity of the intervention and resources.

Twitter Holly Walton @HollyWalton15

Contributors HW developed the idea for this editorial and drafted the editorial.

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Competing interests None declared.

Patient consent for publication Not required.

Ethics approval Not applicable.

Provenance and peer review Commissioned; internally peer reviewed.

ORCID iD

Holly Walton <http://orcid.org/0000-0002-8746-059X>

REFERENCES

- 1 Skivington K, Matthews L, Simpson SA, *et al*. A new framework for developing and evaluating complex interventions: update of medical research council guidance. *BMJ* 2021;374:2061.
- 2 Borrelli B. The assessment, monitoring, and enhancement of treatment fidelity in public health clinical trials. *J Public Health Dent* 2011;71 Suppl 1:S52-63.
- 3 Walton H, Spector A, Tombor I, *et al*. Measures of Fidelity of delivery of, and engagement with, complex, face-to-face health behaviour change interventions: a systematic review of measure quality. *Br J Health Psychol* 2017;22:872-903.
- 4 Marang-van de Mheen PJ, Woodcock T. Grand rounds in methodology: four critical decision points in statistical process control evaluations of quality improvement initiatives. *BMJ Qual Saf* 2023;32:47-54.
- 5 Ginsburg L, Hoben M, Berta W, *et al*. Development and validation of the overall fidelity enactment scale for complex interventions. *BMJ Qual Saf* 2024;33:98-108.
- 6 Resnick B, Inguito P, Orwig D, *et al*. Treatment fidelity in behavior change research: a case example. *Nurs Res* 2005;54:139-43.
- 7 McGee D, Lorencatto F, Matvienko-Sikar K, *et al*. Surveying knowledge, practice and attitudes towards intervention fidelity within trials of complex healthcare interventions. *Trials* 2018;19:504.
- 8 Gearing RE, El-Bassel N, Ghesquiere A, *et al*. Major ingredients of Fidelity: a review and scientific guide to improving quality of intervention research implementation. *Clin Psychol Rev* 2011;31:79-88.

- 9 Hankonen N, Sutton S, Prevost AT, *et al.* Which behavior change techniques are associated with changes in physical activity, diet and body mass index in people with recently diagnosed diabetes? *Ann Behav Med* 2015;49:7–17.
- 10 Walton H, Spector A, Williamson M, *et al.* Developing quality fidelity and engagement measures for complex health interventions. *Br J Health Psychol* 2020;25:39–60.
- 11 Stephens TJ, Peden CJ, Haines R, *et al.* Hospital-level evaluation of the effect of a national quality improvement programme: time-series analysis of registry data. *BMJ Qual Saf* 2020;29:623–35.
- 12 van Schie P, van Bodegom-Vos L, Zijdeman TM, *et al.* Effectiveness of a multifaceted quality improvement intervention to improve patient outcomes after total hip and knee arthroplasty: a registry nested cluster randomised controlled trial. *BMJ Qual Saf* 2023;32:34–46.
- 13 Walton H, Vindrola-Padros C, Crellin NE, *et al.* Patients' experiences of, and engagement with, remote home monitoring services for COVID-19 patients: a rapid mixed-methods study. *Health Expect* 2022;25:2386–404.
- 14 Lorencatto F, West R, Christopherson C, *et al.* Assessing fidelity of delivery of smoking cessation behavioural support in practice. *Implement Sci* 2013;8:40.
- 15 Francis J, Johnston M, Burr J, *et al.* Rapid response: How 'simple interventions are complex (and why it matters): the importance of behaviour in trials. Rapid response to: developing and evaluating complex interventions: the new medical research council guidance, . 2008 Available: <https://www.bmj.com/rapid-response/2011/11/02/how-%E2%80%99-simple%E2%80%99-interventions-are-complex-and-why-it-matters-importance-behav> [Accessed 21 Aug 2023].
- 16 Lewin S, Hendry M, Chandler J, *et al.* Assessing the complexity of interventions within systematic reviews: development, content and use of a new tool (Icat_Sr). *BMC Med Res Methodol* 2017;17:76.
- 17 Walton H, Spector A, Roberts A, *et al.* Developing strategies to improve fidelity of delivery of, and engagement with, a complex intervention to improve independence in dementia: a mixed methods study. *BMC Med Res Methodol* 2020;20:153.
- 18 Kamity R, Grella M, Kim ML, *et al.* From Kamishibai card to key card: a family-targeted quality improvement initiative to reduce paediatric central line-associated bloodstream infections. *BMJ Qual Saf* 2021;30:72–81.
- 19 Toomey E, Matthews J, Hurley DA. Using mixed methods to assess fidelity of delivery and its influencing factors in a complex self-management intervention for people with osteoarthritis and low back pain. *BMJ Open* 2017;7:e015452.
- 20 Williams SL, McSharry J, Taylor C, *et al.* Translating a walking intervention for health professional delivery within primary care: a mixed-methods treatment fidelity assessment. *Br J Health Psychol* 2020;25:17–38.