

Appendix: Outcomes for all principal natural categories

| PNC | Number of cases per PNC | Minor disabilities per PNC | Major disabilities per PNC | Deaths per PNC |
|---|-------------------------|----------------------------|----------------------------|----------------|
| No, delay, inadequate investigations ischaemic heart disease | 34 | 5 | 20 | 5 |
| Ongoing pain/restricted movement following back surgery | 22 | 10 | 10 | 0 |
| Postoperative bowel obstruction/adhesions | 21 | 12 | 9 | 0 |
| Injury due to fall in nursing home | 19 | 11 | 8 | 0 |
| Problems following radiation | 15 | 7 | 8 | 0 |
| Wound infection following peripheral procedure | 29 | 24 | 5 | 0 |
| Inadequate reduction of a fracture/poor alignment | 26 | 21 | 5 | 0 |
| Recurrent incisional hernia | 20 | 15 | 5 | 0 |
| Failed/blocked/ruptured/aneurysm, vascular grafts | 17 | 10 | 5 | 2 |
| Stiffness/restricted movement following joint surgery | 9 | 4 | 5 | 0 |
| Failed hip replacement | 8 | 3 | 5 | 0 |
| Pressure sore/decubitus ulcer | 32 | 22 | 4 | 5 |
| Incisional hernia - post procedural | 27 | 23 | 4 | 0 |
| Acute pain postoperative/procedure | 16 | 12 | 4 | 0 |
| PE postoperatively | 22 | 18 | 3 | 1 |
| Pain associated with ortho metal or prosthesis | 13 | 9 | 3 | 0 |
| No, delay, inadequate treatment respiratory problem | 12 | 7 | 3 | 2 |
| Diagnosis delay/no/wrong, cancer large bowel | 9 | 3 | 3 | 2 |
| Bleeding related to warfarin therapy | 9 | 5 | 3 | 1 |
| Wound breakdown/dehiscence necrosis-no evidence of infection following abdominal/retroperitoneal/pelvic procedure | 9 | 6 | 3 | 0 |
| Failed angioplasty/angiogram | 8 | 5 | 3 | 0 |
| No, delay, inadequate treatment of | | | | |

| | | | | |
|---|----|---|---|---|
| complications/progression of cancer | 8 | 3 | 3 | 2 |
| No, inadequate prophylaxis for asthma | 7 | 4 | 3 | 0 |
| Diagnosis delay/no/wrong, cancer cervix | 4 | 1 | 3 | 0 |
| Diagnosis delay/no/wrong, subdural haematoma/haemorrhage | 4 | 1 | 3 | 0 |
| Fistula after bowel surgery | 4 | 1 | 3 | 0 |
| Osteomyelitis after inadequately treated wound | 4 | 1 | 3 | 0 |
| Failed fundoplication | 3 | 0 | 3 | 0 |
| Wound breakdown/dehiscence necrosis-with evidence of infection following abdominal/retroperitoneal/pelvic procedure | 10 | 8 | 2 | 0 |
| Pancytopenia following chemotherapy | 8 | 5 | 2 | 1 |
| Postoperative abscess - cholecystectomy, bile duct surgery | 6 | 3 | 2 | 0 |
| Seizure following cessation/reduction/non prescription of anti-epileptic drug | 6 | 4 | 2 | 0 |
| Failure tendon repair/release | 5 | 3 | 2 | 0 |
| Infected orthopaedic implanted prosthetic device | 5 | 3 | 2 | 0 |
| Anastomotic breakdown/leak following GIT surgery | 4 | 2 | 2 | 0 |
| CVA - secondary to AF-warfarin not started or stopped | 4 | 2 | 2 | 0 |
| Diagnosis delay/no/wrong, diabetes | 4 | 2 | 2 | 0 |
| Dislocation of prosthesis - hip | 4 | 2 | 2 | 0 |
| DVT with adequate prophylaxis | 4 | 2 | 2 | 0 |
| Failed cartilage/cruciate ligament, knee repair | 4 | 2 | 2 | 0 |
| Inadequate diagnosis, treatment lower leg or foot ulcer | 4 | 2 | 2 | 0 |
| No, delay, inadequate treatment of miscellaneous orthopaedic problem(not#/dis) | 4 | 2 | 2 | 0 |
| Non-union of fracture | 4 | 2 | 2 | 0 |
| CVA - neurosurgery | 3 | 1 | 2 | 0 |
| Deterioration in neurological status following spinal cord release/laminectomy/fusion | 3 | 1 | 2 | 0 |

| | | | | |
|--|----|----|---|---|
| Diagnosis delay/no/wrong, congenital defect at birth missed | 3 | 1 | 2 | 0 |
| Urinary incontinence after surgery | 3 | 1 | 2 | 0 |
| Chronic pain management problem | 2 | 0 | 2 | 0 |
| CVA - not carotid endarterectomy or neurosurgery or cardiopulmonary bypass | 2 | 0 | 2 | 0 |
| Hypoglycaemia/hyperglycaemia due to pentamidine | 2 | 0 | 2 | 0 |
| MI after/during non-cardiac surgery | 2 | 0 | 2 | 0 |
| Prolapsed iris following cataract extraction/lens insertion | 2 | 0 | 2 | 0 |
| Wound infection following abdominal/retroperitoneal/pelvic procedure | 35 | 34 | 1 | 0 |
| GI bleed secondary to NSAID | 22 | 20 | 1 | 1 |
| Wound infection post LSCS | 21 | 20 | 1 | 0 |
| Injury due to fall in hospital | 15 | 14 | 1 | 0 |
| Postoperative atelectasis/nosocomial pneumonia | 15 | 14 | 1 | 0 |
| Infected IVC - peripheral line | 13 | 12 | 1 | 0 |
| No, delay, inappropriate treatment of CCF/LVF | 11 | 8 | 1 | 2 |
| Inadequate removal/Recurrent BCC/SCC | 9 | 6 | 1 | 1 |
| Pneumothorax postoperative/procedure - chest | 7 | 6 | 1 | 0 |
| Puncture/perforation/tear - uterus | 7 | 6 | 1 | 0 |
| Wound infection following CABG | 7 | 6 | 1 | 0 |
| Urine retention - vaginal /pelvic floor procedure | 6 | 5 | 1 | 0 |
| Wound infection following head and neck procedure | 6 | 5 | 1 | 0 |
| Iatrogenic renal failure (non drug induced) perioperative | 5 | 3 | 1 | 0 |
| Diagnosis delay/no/wrong, cholecystitis/gall stones | 5 | 3 | 1 | 1 |
| Diagnosis delay/no/wrong, PE & DVT | 5 | 4 | 1 | 0 |
| Febrile on discharge-readmission required | 5 | 4 | 1 | 0 |
| Graze/skin tear/abrasion | 5 | 4 | 1 | 0 |
| Operation abandoned due to bleeding | 5 | 4 | 1 | 0 |

| | | | | |
|--|---|---|---|---|
| Readmission for pain present at discharge | 5 | 4 | 1 | 0 |
| Unnecessary removal of metal | 5 | 4 | 1 | 0 |
| Wound infection following vascular graft procedure | 5 | 4 | 1 | 0 |
| CVA - cardiopulmonary bypass | 4 | 3 | 1 | 0 |
| Infected vascular graft | 4 | 3 | 1 | 0 |
| MI after/during cardiac procedure (eg CABG/PTCA) | 4 | 3 | 1 | 0 |
| No, delay, inappropriate diagnosis, treatment abdominal pain | 4 | 3 | 1 | 0 |
| Operation cancelled or delayed for logistical/planning reasons | 4 | 3 | 1 | 0 |
| Postoperative abscess - bowel surgery | 4 | 3 | 1 | 0 |
| Rhinoplasty requiring redo | 4 | 3 | 1 | 0 |
| Recurrent varicose veins requiring redo | 3 | 1 | 1 | 0 |
| Digoxin overdose, toxicity | 3 | 2 | 1 | 0 |
| Haemorrhage following procedure on bowel | 3 | 1 | 1 | 1 |
| Haemorrhage following thoracic surgery | 3 | 1 | 1 | 1 |
| Ineffective control of diabetes | 3 | 2 | 1 | 0 |
| No or inadequate prophylaxis with previous history DVT | 3 | 2 | 1 | 0 |
| No, delay, inappropriate treatment of valve problem | 3 | 0 | 1 | 2 |
| Unnecessary ERCP/biliary surgery | 3 | 2 | 1 | 0 |
| Unnecessary laparotomy | 3 | 2 | 1 | 0 |
| Unsatisfactory cosmetic result - unsightly scarring | 3 | 2 | 1 | 0 |
| Damage to femoral cutaneous nerve | 2 | 1 | 1 | 0 |
| Diagnosis delay/no/wrong, prostate problem | 2 | 1 | 1 | 0 |
| Discharged with recurrent or persistent croup | 2 | 1 | 1 | 0 |
| Drug induced hypertension | 2 | 1 | 1 | 0 |
| Failed manipulation/reconstruction, temporomandibular joint | 2 | 1 | 1 | 0 |
| Failed skin graft | 2 | 1 | 1 | 0 |

| | | | | |
|---|---|---|---|---|
| Failed tympanoplasty | 2 | 1 | 1 | 0 |
| Failure to remove stone from CBD at cholecystectomy | 2 | 1 | 1 | 0 |
| Obstructed nephrostomy tube | 2 | 1 | 1 | 0 |
| Post operative cholangitis | 2 | 1 | 1 | 0 |
| Readmission/extra stay in hospital lack of consent | 2 | 1 | 1 | 0 |
| Reflex sympathetic dystrophy postoperative, new | 2 | 1 | 1 | 0 |
| Scarring - breast surgery | 2 | 1 | 1 | 0 |
| Skin ulcer due to poor fitting prosthesis | 2 | 1 | 1 | 0 |
| Unsatisfactory cosmetic result - breast reduction | 2 | 1 | 1 | 0 |
| Urinary incontinence post urological procedure | 2 | 1 | 1 | 0 |
| Wound breakdown/dehiscence necrosis - no evidence of infection following breast procedure | 2 | 1 | 1 | 0 |
| Wound breakdown/dehiscence necrosis - with evidence of infection following leg procedure | 2 | 0 | 1 | 1 |
| Biliary dyskinesia following cholecystectomy | 1 | 0 | 1 | 0 |
| Cauda equina abscess | 1 | 0 | 1 | 0 |
| CSF leak after ENT procedure | 1 | 0 | 1 | 0 |
| CVA - secondary to high blood pressure | 1 | 0 | 1 | 0 |
| Damage to brachial plexus during birth procedure | 1 | 0 | 1 | 0 |
| Damage to lateral popliteal nerve during ORIF | 1 | 0 | 1 | 0 |
| Detached retina following cataract extraction/lens insertion | 1 | 0 | 1 | 0 |
| Developed bursa over metal | 1 | 0 | 1 | 0 |
| Diagnosis delay/no/wrong, brain tumour | 1 | 0 | 1 | 0 |
| Diagnosis delay/no/wrong, cancer ovary | 1 | 0 | 1 | 0 |
| Diagnosis delay/no/wrong, cerebral artery aneurysm | 1 | 0 | 1 | 0 |
| Diagnosis delay/no/wrong, eclampsia | 1 | 0 | 1 | 0 |
| Diagnosis delay/no/wrong, juvenile rheumatoid arthritis | 1 | 0 | 1 | 0 |
| Diagnosis delay/no/wrong, meningitis | 1 | 0 | 1 | 0 |
| Diagnosis delay/no/wrong, non-H Hodgkin's | 1 | 0 | 1 | 0 |

| | | | | |
|---|---|---|---|---|
| lymphoma | | | | |
| Diagnosis delay/no/wrong, scarring L4-5 nerve roots | 1 | 0 | 1 | 0 |
| Diagnosis delay/no/wrong, SCC | 1 | 0 | 1 | 0 |
| Diagnosis delay/no/wrong, sinus arrest | 1 | 0 | 1 | 0 |
| Dislocation of prosthesis - knee | 1 | 0 | 1 | 0 |
| Entero-cutaneous fistula post hernia repair | 1 | 0 | 1 | 0 |
| Failed arthroscopy/lateral release, ankle | 1 | 0 | 1 | 0 |
| Failed pin and plate | 1 | 0 | 1 | 0 |
| Failed sphincter repair | 1 | 0 | 1 | 0 |
| Failed/blocked/ruptured/aneurysm, vascular grafts | 1 | 0 | 1 | 0 |
| Failure of repair enterocele leading to recurrence | 1 | 0 | 1 | 0 |
| Failure, nerve repair | 1 | 0 | 1 | 0 |
| Femoral embolism | 1 | 0 | 1 | 0 |
| Foreign body not removed after trauma | 1 | 0 | 1 | 0 |
| Foreign body reaction to knee prosthesis | 1 | 0 | 1 | 0 |
| Gout precipitated by atenolol, new | 1 | 0 | 1 | 0 |
| Haemorrhage from gastric ulcer | 1 | 0 | 1 | 0 |
| Heparin-HITS | 1 | 0 | 1 | 0 |
| Inability to void after surgery for stress incontinence | 1 | 0 | 1 | 0 |
| Inadequate management hypertension/pregnancy | 1 | 0 | 1 | 0 |
| Inappropriate management of low back pain | 1 | 0 | 1 | 0 |
| Inappropriate procedure, portocaval shunt | 1 | 0 | 1 | 0 |
| Inappropriate vascular surgery | 1 | 0 | 1 | 0 |
| Ineffective debridement | 1 | 0 | 1 | 0 |
| Infected bone graft | 1 | 0 | 1 | 0 |
| Intraoperative fracture | 1 | 0 | 1 | 0 |
| Labour proceeded with type 2 dips | 1 | 0 | 1 | 0 |
| Leaking trans urethral catheter | 1 | 0 | 1 | 0 |
| Massive escalation of treatment in patient with intractable condition | 1 | 0 | 1 | 0 |

| | | | | |
|---|----|----|---|---|
| MI after stress test | 1 | 0 | 1 | 0 |
| No, delay, inappropriate diagnosis and management UTI | 1 | 0 | 1 | 0 |
| Osteoporosis secondary steroids | 1 | 0 | 1 | 0 |
| Paraplegia following surgery for ruptured thoracic aorta | 1 | 0 | 1 | 0 |
| Perinatal anoxia | 1 | 0 | 1 | 0 |
| Perioperative shock/stunned myocardium - cardiac surgery | 1 | 0 | 1 | 0 |
| Peritonitis following dialysis | 1 | 0 | 1 | 0 |
| Poor overall management vertigo | 1 | 0 | 1 | 0 |
| Poor prevention self mutilation | 1 | 0 | 1 | 0 |
| Postoperative abscess - breast | 1 | 0 | 1 | 0 |
| Postoperative abscess - neurological surgery | 1 | 0 | 1 | 0 |
| Postoperative gangrene/necrosis, toe | 1 | 0 | 1 | 0 |
| Premature extubation | 1 | 0 | 1 | 0 |
| Puncture/perforation/tear - ovarian cyst | 1 | 0 | 1 | 0 |
| Recurrent bruising post ORIF | 1 | 0 | 1 | 0 |
| Recurrent prostatic hypertrophy | 1 | 0 | 1 | 0 |
| Scarring - abdominal surgery | 1 | 0 | 1 | 0 |
| Severe hypoxia during ERCP | 1 | 0 | 1 | 0 |
| Thyrotoxicosis due to thyroxine overdose | 1 | 0 | 1 | 0 |
| Tracheal stenosis following prolonged intubation | 1 | 0 | 1 | 0 |
| Unnecessary bowel resection | 1 | 0 | 1 | 0 |
| Urine retention - vaginal/pelvic floor procedure | 1 | 0 | 1 | 0 |
| Worsening of visual defect following craniotomy and removal of meningioma | 1 | 0 | 1 | 0 |
| Worsening of visual defect following Molteno procedure | 1 | 0 | 1 | 0 |
| Wound breakdown/dehiscence necrosis - no evidence of infection following vascular graft procedure | 1 | 0 | 1 | 0 |
| Catheter related urinary tract infection | 37 | 36 | 0 | 0 |

| | | | | |
|--|----|----|---|---|
| Postoperative nausea and vomiting | 20 | 20 | 0 | 0 |
| Urine retention - urological procedure | 13 | 13 | 0 | 0 |
| Allergy to medication, rash, new | 11 | 11 | 0 | 0 |
| Postoperative fever - cause obscure | 11 | 11 | 0 | 0 |
| No or inadequate prophylaxis, no previous history DVT | 10 | 9 | 0 | 1 |
| No, delay treatment of fracture or dislocation | 10 | 10 | 0 | 0 |
| Retained products - placenta thought to be complete | 10 | 10 | 0 | 0 |
| Haematoma after angiogram/angioplasty | 9 | 9 | 0 | 0 |
| Haematuria/clots post TURP | 9 | 9 | 0 | 0 |
| Haemorrhage following procedure on uterus | 9 | 9 | 0 | 0 |
| Hypotension/syncope/faint due to antihypertensives/vasodilators | 9 | 9 | 0 | 0 |
| AF/flutter/SVT, perioperative | 8 | 8 | 0 | 0 |
| Delay or failure to admit pt from A & E | 8 | 7 | 0 | 0 |
| Incomplete resection tumour/dysplasia/cyst | 8 | 7 | 0 | 0 |
| Problems following chemotherapy | 8 | 7 | 0 | 1 |
| Early/Inappropriate discharge with respiratory problem | 7 | 7 | 0 | 0 |
| Infected IVC - central line/vascath/hickmanns | 7 | 7 | 0 | 0 |
| No, delay, inadequate investigation/treatment anaemia | 7 | 5 | 0 | 1 |
| Unnecessary appendicectomy | 7 | 7 | 0 | 0 |
| Diarrhoea/colitis secondary to antibiotics | 6 | 6 | 0 | 0 |
| Failure to enter/drain/remove stone, ureter | 6 | 6 | 0 | 0 |
| Haemorrhage following tonsillectomy | 6 | 6 | 0 | 0 |
| Headache post myelogram/lumbar puncture | 6 | 6 | 0 | 0 |
| Post procedure - organ failure/SIRS/sepsis/septicaemia - perioperative | 6 | 3 | 0 | 3 |
| Vaginal tear/s | 6 | 6 | 0 | 0 |
| Continued problems after septo/rhinoplasty | 5 | 4 | 0 | 0 |
| Diagnosis delay/no/wrong, cellulitis/abscess | 5 | 5 | 0 | 0 |

| | | | | |
|--|---|---|---|---|
| Postoperative haematoma - inguinal canal/scrotum | 5 | 5 | 0 | 0 |
| Postoperative hypotension | 5 | 5 | 0 | 0 |
| Complications/failure of endoscopic retrograde cholangiopancreatography | 4 | 4 | 0 | 0 |
| Diagnosis delay/no/wrong, cancer lung/lung lesion | 4 | 0 | 0 | 4 |
| Diagnosis delay/no/wrong, ectopic pregnancy | 4 | 4 | 0 | 0 |
| Diagnosis delay/no/wrong, fracture | 4 | 4 | 0 | 0 |
| Failed terminations of pregnancy | 4 | 4 | 0 | 0 |
| Failure/delay in treating UTI | 4 | 3 | 0 | 1 |
| Haemorrhage following cone biopsy/laser therapy cervix | 4 | 4 | 0 | 0 |
| Haemorrhage following termination of pregnancy | 4 | 4 | 0 | 0 |
| Headache due to accidental dural tap | 4 | 4 | 0 | 0 |
| Iatrogenic fluid overload/acute LVF - perioperative | 4 | 4 | 0 | 0 |
| Narcotic overdose | 4 | 4 | 0 | 0 |
| No, delay or inadequate treatment of DVT | 4 | 4 | 0 | 0 |
| Poor management of diabetes | 4 | 2 | 0 | 2 |
| Poor prevention overdose | 4 | 4 | 0 | 0 |
| Postoperative cardiac arrest | 4 | 0 | 0 | 3 |
| Post procedure ileus/pseudo obstruction | 4 | 4 | 0 | 0 |
| Problems with pacemaker - faulty device/wire | 4 | 4 | 0 | 0 |
| Problems with shunt/ventricular drain | 4 | 4 | 0 | 0 |
| Puncture/perforation/tear - bowel | 4 | 3 | 0 | 1 |
| Recurrent/post operative fistulae-in-ano | 4 | 4 | 0 | 0 |
| Acute renal failure secondary to gentamicin | 3 | 1 | 0 | 1 |
| Anaphylactic reaction to medication, new | 3 | 2 | 0 | 1 |
| Anti-convulsant overdose | 3 | 3 | 0 | 0 |
| Clotted/failed arteriovenous fistula | 3 | 3 | 0 | 0 |
| Constipation/Pseudo obstruction due to antipsychotics/anti depressants/opioids | 3 | 3 | 0 | 0 |
| Corneal abrasion/ulcer postoperative | 3 | 3 | 0 | 0 |
| Damaged teeth/dental work/dentures during | 3 | 2 | 0 | 0 |

| | | | | |
|---|---|---|---|---|
| intubation | | | | |
| Discharged with pneumonia not diagnosed or not stable | 3 | 3 | 0 | 0 |
| Dissection of/damage to blood vessels during angiogram/angioplasty/cardiac catheter | 3 | 3 | 0 | 0 |
| Drain/catheter infection | 3 | 3 | 0 | 0 |
| Failed/complicated uterine ablation | 3 | 3 | 0 | 0 |
| Haematoma following vaginal delivery (forceps) | 3 | 3 | 0 | 0 |
| Hypokalaemia/hyperkalaemia due to diuretic use | 3 | 3 | 0 | 0 |
| Iatrogenic - organ failure/SIRS/sepsis/septicaemia - non perioperative | 3 | 0 | 0 | 3 |
| Infections following terminations of pregnancies | 3 | 3 | 0 | 0 |
| Lymphatic leak or lymphocele | 3 | 3 | 0 | 0 |
| Neonatal eye infection | 3 | 3 | 0 | 0 |
| No, delay, inadequate treatment of dysrhythmia | 3 | 2 | 0 | 1 |
| Perineum wound infection | 3 | 3 | 0 | 0 |
| Pleural effusion | 3 | 3 | 0 | 0 |
| Postoperative haematoma - gynaecological procedure | 3 | 3 | 0 | 0 |
| Postoperative urinary tract infection - no catheter | 3 | 3 | 0 | 0 |
| Problem with positioning of prosthesis | 3 | 3 | 0 | 0 |
| Problems with pacemaker - capture/positioning problem | 3 | 3 | 0 | 0 |
| Puncture/perforation/tear/necrosis - ureter | 3 | 3 | 0 | 0 |
| Recurrent haemorrhoids | 3 | 3 | 0 | 0 |
| Unsatisfactory cosmetic result - breast augmentation | 3 | 3 | 0 | 0 |
| Urine retention - procedure other than urological/vaginal/pelvic floor | 3 | 3 | 0 | 0 |
| Wound breakdown/dehiscence necrosis-no evidence of infection following episiotomy | 3 | 3 | 0 | 0 |
| Amiodarone induced thyroid problems | 2 | 2 | 0 | 0 |
| Anal stricture | 2 | 2 | 0 | 0 |

| | | | | |
|--|---|---|---|---|
| Apnoea/respiratory arrest/hypoventilation, perioperative spontaneous ventilation | 2 | 2 | 0 | 0 |
| Aspiration gastric contents whilst not intubated | 2 | 1 | 0 | 1 |
| Bladder spasm post TURP | 2 | 2 | 0 | 0 |
| Burn during operation | 2 | 2 | 0 | 0 |
| CVA - carotid endarterectomy | 2 | 0 | 0 | 2 |
| CVA - secondary to chemotherapy | 2 | 2 | 0 | 0 |
| Dehydration/oliguria iatrogenic, non perioperative | 2 | 2 | 0 | 0 |
| Diagnosis delay/no/wrong, acute appendix | 2 | 2 | 0 | 0 |
| Diagnosis delay/no/wrong, cancer stomach | 2 | 0 | 0 | 1 |
| Diagnosis delay/no/wrong, deep vein thrombosis | 2 | 2 | 0 | 0 |
| Diagnosis delay/no/wrong, diverticulitis | 2 | 2 | 0 | 0 |
| Diagnosis delay/no/wrong, lymphoma | 2 | 2 | 0 | 0 |
| Diagnosis delay/no/wrong, small bowel obstruction | 2 | 2 | 0 | 0 |
| Diagnosis delay/no/wrong, UTI | 2 | 2 | 0 | 0 |
| Discharged with unstable COAD | 2 | 1 | 0 | 1 |
| Dystonic reaction/Parkinsonism secondary to phenothyzines/antipsychotics | 2 | 2 | 0 | 0 |
| Ectopic pregnancy following reanastomosis of tubes | 2 | 2 | 0 | 0 |
| Fever secondary to antiarrhythmics | 2 | 2 | 0 | 0 |
| Glaucoma after cataract procedure/lens extraction | 2 | 2 | 0 | 0 |
| Haematuria/clots following bladder diathermy | 2 | 2 | 0 | 0 |
| Haemorrhage following circumcision | 2 | 2 | 0 | 0 |
| Haemorrhage following colonoscopy/removal of polyp | 2 | 2 | 0 | 0 |
| Haemorrhage following rectal biopsy and diathermy/haemorrhoids | 2 | 2 | 0 | 0 |
| Haemorrhage following tooth extraction | 2 | 2 | 0 | 0 |
| Hypoglycaemia secondary to insulin | 2 | 2 | 0 | 0 |
| Iatrogenic fluid overload/acute LVF - with dialysis | 2 | 2 | 0 | 0 |
| Infected breast prosthesis | 2 | 2 | 0 | 0 |

| | | | | |
|--|---|---|---|---|
| Jaundice | 2 | 2 | 0 | 0 |
| Laryngeal spasm | 2 | 2 | 0 | 0 |
| Meconium aspiration syndrome | 2 | 1 | 0 | 0 |
| No, delay, inadequate investigation respiratory problem | 2 | 1 | 0 | 1 |
| No, delay, inappropriate investigation claudication | 2 | 2 | 0 | 0 |
| No, delay, inappropriate prophylaxis peptic ulcer | 2 | 0 | 0 | 2 |
| Pericardial effusion/tamponade following cardiac procedure | 2 | 2 | 0 | 0 |
| Pneumothorax post operative/procedure - renal | 2 | 2 | 0 | 0 |
| Poor community psychiatric care | 2 | 2 | 0 | 0 |
| Postoperative haematoma - arthroscopy | 2 | 2 | 0 | 0 |
| Postoperative haematoma - breast | 2 | 2 | 0 | 0 |
| Postoperative haematoma - pararectal | 2 | 2 | 0 | 0 |
| Postoperative haematoma - thyroidectomy | 2 | 2 | 0 | 0 |
| Postoperative haematoma - vascular procedure | 2 | 2 | 0 | 0 |
| Postpartum haemorrhage due to forceps problems | 2 | 2 | 0 | 0 |
| Postpartum haemorrhage, LSCS | 2 | 2 | 0 | 0 |
| Postpartum haemorrhage, retained products | 2 | 2 | 0 | 0 |
| Postpartum haemorrhage, vaginal tear | 2 | 2 | 0 | 0 |
| Problem with PUJ stent | 2 | 2 | 0 | 0 |
| Puncture/perforation/tear - bladder | 2 | 2 | 0 | 0 |
| Seroma following breast Sx | 2 | 2 | 0 | 0 |
| Swelling to fingers following reduction of fracture | 2 | 2 | 0 | 0 |
| Vaginal infection following delivery | 2 | 2 | 0 | 0 |
| Vaginal prolapse following hysterectomy | 2 | 2 | 0 | 0 |
| Wound infection following breast procedure | 2 | 2 | 0 | 0 |
| Wound infection following spinal procedure | 2 | 2 | 0 | 0 |
| Wound infection post dental extraction | 2 | 2 | 0 | 0 |
| CVA - angiogram | 1 | 0 | 0 | 0 |
| Delay in treating high serum bilirubin | 1 | 0 | 0 | 0 |

| | | | | |
|--|---|---|---|---|
| Diagnosis delay/no/wrong, hydrocephalus | 1 | 0 | 0 | 0 |
| No, delay, inadequate treatment febrile convulsions | 1 | 0 | 0 | 0 |
| Perioperative cardiac tamponade - cardiac procedure | 1 | 0 | 0 | 0 |
| Postoperative abscess - perineal | 1 | 0 | 0 | 0 |
| Unnecessary transfer | 1 | 0 | 0 | 0 |
| Abdominal complications following a rectal perforation 2 yrs previously | 1 | 0 | 0 | 1 |
| Acceleration of hypertension secondary antihypertensives | 1 | 1 | 0 | 0 |
| Acopia discharge | 1 | 0 | 0 | 1 |
| Allergy to medication, asthma/bronchospasm | 1 | 1 | 0 | 0 |
| Angina - after reduction of anti anginal agents | 1 | 1 | 0 | 0 |
| Angina - perioperative, cardiac procedure | 1 | 1 | 0 | 0 |
| Antepartum haemorrhage after vaginal examination | 1 | 1 | 0 | 0 |
| Antihypertensive overdose | 1 | 1 | 0 | 0 |
| Apnoea/respiratory arrest/hypoventilation due to drug, not perioperative | 1 | 1 | 0 | 0 |
| Apnoea/respiratory arrest/hypoventilation, - perioperative spontaneous ventilation | 1 | 1 | 0 | 0 |
| Aspiration gastric contents on extubation | 1 | 1 | 0 | 0 |
| Aspiration gastric contents whilst intubated | 1 | 1 | 0 | 0 |
| Aspiration in neonate after vomiting while in transit | 1 | 1 | 0 | 0 |
| Atrial and ventricular arrhythmia's, peri operative | 1 | 1 | 0 | 0 |
| Bleeding duodenal ulcer following total hip replacement | 1 | 1 | 0 | 0 |
| Bone spike post above knee amputation | 1 | 1 | 0 | 0 |
| Broken tension band 11 yrs after repair fractured patella | 1 | 1 | 0 | 0 |
| Bronchopleural fistula post excision lung tumour | 1 | 1 | 0 | 0 |
| Bruised upper eyelid following retinal detachment repair | 1 | 1 | 0 | 0 |

| | | | | |
|--|---|---|---|---|
| Cholestatic jaundice of pregnancy | 1 | 1 | 0 | 0 |
| Constipation secondary to diuretic overdose | 1 | 1 | 0 | 0 |
| Continued drainage of urine through Penrose drain | 1 | 1 | 0 | 0 |
| Cord break - manual removal of placenta | 1 | 1 | 0 | 0 |
| Corneal oedema following cataract extraction/lens insertion | 1 | 1 | 0 | 0 |
| CVA - from embolic pneumothorax | 1 | 1 | 0 | 0 |
| Damage to brachial plexus during anaesthetic/surgery | 1 | 1 | 0 | 0 |
| Decreased Apgar score following induction of labour for hypertension | 1 | 1 | 0 | 0 |
| Deformity following excision phalanx | 1 | 1 | 0 | 0 |
| Dehydration/oliguria due to diuretic use | 1 | 1 | 0 | 0 |
| Delay in performing dilatation of stricture | 1 | 1 | 0 | 0 |
| Delay in performing emergency surgery | 1 | 0 | 0 | 1 |
| Delay in performing laparoscopy, ovarian mass | 1 | 1 | 0 | 0 |
| Delay in treating jaundice in neonate | 1 | 1 | 0 | 0 |
| Delay in treating neonatal infection | 1 | 0 | 0 | 1 |
| Delay repair vaginal laceration | 1 | 1 | 0 | 0 |
| Dense tissue following freeing of trapped artery | 1 | 1 | 0 | 0 |
| Diabetes induced by steroids | 1 | 1 | 0 | 0 |
| Diagnosis delay/no/wrong, BCC | 1 | 1 | 0 | 0 |
| Diagnosis delay/no/wrong, cancer pancreas | 1 | 1 | 0 | 0 |
| Diagnosis delay/no/wrong, constipation | 1 | 1 | 0 | 0 |
| Diagnosis delay/no/wrong, cystic cyst | 1 | 1 | 0 | 0 |
| Diagnosis delay/no/wrong, duodenal diverticulae | 1 | 1 | 0 | 0 |
| Diagnosis delay/no/wrong, foreign body | 1 | 1 | 0 | 0 |
| Diagnosis delay/no/wrong, gastric ulcers | 1 | 1 | 0 | 0 |
| Diagnosis delay/no/wrong, GI bleed | 1 | 1 | 0 | 0 |
| Diagnosis delay/no/wrong, haematoma | 1 | 1 | 0 | 0 |
| Diagnosis delay/no/wrong, nerve root compression | 1 | 1 | 0 | 0 |
| Diagnosis delay/no/wrong, no assessment | 1 | 0 | 0 | 1 |

| | | | | |
|---|---|---|---|---|
| Diagnosis delay/no/wrong, osteomyelitis | 1 | 1 | 0 | 0 |
| Diagnosis delay/no/wrong, pacemaker failure | 1 | 1 | 0 | 0 |
| Diagnosis delay/no/wrong, perforated small bowel | 1 | 1 | 0 | 0 |
| Diagnosis delay/no/wrong, pneumonia | 1 | 1 | 0 | 0 |
| Diagnosis delay/no/wrong, polymyositis | 1 | 1 | 0 | 0 |
| Diagnosis delay/no/wrong, sepsis | 1 | 0 | 0 | 1 |
| Diagnosis delay/no/wrong, tibial bone tumour | 1 | 0 | 0 | 1 |
| Diarrhoea secondary to antigout medication | 1 | 1 | 0 | 0 |
| Difficulty voiding secondary to opioid | 1 | 1 | 0 | 0 |
| Discharged before indicated/requested test consultation | 1 | 1 | 0 | 0 |
| Discharged with cellulitis | 1 | 1 | 0 | 0 |
| Discharged with pressure sores | 1 | 1 | 0 | 0 |
| Discharged with progressive renal failure | 1 | 0 | 0 | 1 |
| Discharged with rising bilirubin/increase in jaundice | 1 | 1 | 0 | 0 |
| Discharged with unstable diabetes | 1 | 1 | 0 | 0 |
| Discharged with urine retention | 1 | 1 | 0 | 0 |
| Dislocation of lens | 1 | 1 | 0 | 0 |
| Drowsiness due to chlorpromazine overdose | 1 | 1 | 0 | 0 |
| Drug given - known allergy | 1 | 1 | 0 | 0 |
| Dysphonia from laryngeal damage during intubation | 1 | 1 | 0 | 0 |
| Ectopic pregnancy following IVF | 1 | 1 | 0 | 0 |
| Effusion in knee following cruciate ligament repair | 1 | 1 | 0 | 0 |
| Electrolyte overdose | 1 | 1 | 0 | 0 |
| Emergency Caesarean due to undiagnosed placenta praevia | 1 | 1 | 0 | 0 |
| Facial palsy following parotid procedure | 1 | 1 | 0 | 0 |
| Faecal incontinence following haemorrhoidectomy | 1 | 1 | 0 | 0 |
| Failed arthrodesis | 1 | 1 | 0 | 0 |
| Failed arthroscopy/chondroplasty, knee | 1 | 1 | 0 | 0 |

| | | | | |
|--|---|---|---|---|
| Failed arthroscopy/lateral release, knee | 1 | 1 | 0 | 0 |
| Failed cartilage cruciate ligament knee repair | 1 | 1 | 0 | 0 |
| Failed endometrial ablation | 1 | 1 | 0 | 0 |
| Failed fixation patella | 1 | 1 | 0 | 0 |
| Failed forceps delivery leading to emergency LSCS | 1 | 1 | 0 | 0 |
| Failed fusion | 1 | 1 | 0 | 0 |
| Failed myelogram | 1 | 1 | 0 | 0 |
| Failed orbital decompression | 1 | 1 | 0 | 0 |
| Failed retinal detachment repair | 1 | 1 | 0 | 0 |
| Failed skin flap | 1 | 1 | 0 | 0 |
| Failure in primary care of laceration by LMO | 1 | 1 | 0 | 0 |
| Failure of repair rectocele leading to recurrence | 1 | 1 | 0 | 0 |
| Failure repair ingrown toenail | 1 | 1 | 0 | 0 |
| Failure to arrange rehabilitation after fall | 1 | 1 | 0 | 0 |
| Failure to diagnose and manage ectopic | 1 | 1 | 0 | 0 |
| Failure to do cholecystectomy after cholethiasis diagnosis | 1 | 1 | 0 | 0 |
| Failure to enter/drain/remove stone, kidney | 1 | 1 | 0 | 0 |
| Failure/delayed treatment of cellulitis | 1 | 1 | 0 | 0 |
| Failure/delayed treatment of haemothorax | 1 | 0 | 0 | 1 |
| Failure/delayed treatment of pneumonia | 1 | 1 | 0 | 0 |
| Fat necrosis | 1 | 1 | 0 | 0 |
| Gastroplasty - obstruction and vomiting | 1 | 1 | 0 | 0 |
| GI bleed secondary to steroids | 1 | 1 | 0 | 0 |
| Giant cell arteritis after grafts | 1 | 1 | 0 | 0 |
| Haematemesis due to prednisone overdose | 1 | 1 | 0 | 0 |
| Haematoma secondary to heparin (no procedure) | 1 | 1 | 0 | 0 |
| Haematoma secondary to vascath insertion | 1 | 1 | 0 | 0 |
| Haematuria/clots following colposuspension | 1 | 1 | 0 | 0 |
| Haematuria/clots following renal biopsy | 1 | 1 | 0 | 0 |
| Haemoptysis after fine needle aspiration | 1 | 1 | 0 | 0 |

| | | | | |
|---|---|---|---|---|
| Haemorrhage due to thrombolytics | 1 | 1 | 0 | 0 |
| Haemorrhage following ERCP | 1 | 1 | 0 | 0 |
| Haemorrhage following eye surgery | 1 | 1 | 0 | 0 |
| Haemorrhage following hymenectomy | 1 | 1 | 0 | 0 |
| Haemorrhage following nasal surgery | 1 | 1 | 0 | 0 |
| Haemorrhage following procedure on gall bladder | 1 | 1 | 0 | 0 |
| Haemorrhage following renal biopsy | 1 | 1 | 0 | 0 |
| Haemorrhage from AV dialysis shunt | 1 | 1 | 0 | 0 |
| Headache following intracranial drain removal | 1 | 1 | 0 | 0 |
| Headache following irradiation | 1 | 1 | 0 | 0 |
| Headache following nasal endoscopy | 1 | 1 | 0 | 0 |
| Haematuria secondary to ureteric stent | 1 | 1 | 0 | 0 |
| Hemicolectomy-subacute bowel obstruction | 1 | 1 | 0 | 0 |
| Hypertension secondary to nephropathy | 1 | 1 | 0 | 0 |
| Hyphema following cataract extraction/lens insertion | 1 | 1 | 0 | 0 |
| Hypoglycaemia secondary to oral hypoglycaemic | 1 | 1 | 0 | 0 |
| Iatrogenic fluid overload/acute LVF - non perioperative | 1 | 1 | 0 | 0 |
| Inadequate drainage Bartholin's cyst | 1 | 1 | 0 | 0 |
| Inappropriate chemotherapy, advanced tumour | 1 | 0 | 0 | 1 |
| Inappropriate order medication | 1 | 1 | 0 | 0 |
| Inappropriate procedure, abdominal disaster | 1 | 0 | 0 | 1 |
| Inappropriate procedure, defunctioning gastrostomy | 1 | 1 | 0 | 0 |
| Inappropriate procedure, J pouch | 1 | 1 | 0 | 0 |
| Inappropriate procedure, laparoscopic cholecystectomy | 1 | 1 | 0 | 0 |
| Inappropriate treatment of chronic renal failure | 1 | 1 | 0 | 0 |
| Inappropriate withdrawal of psychiatric medication | 1 | 1 | 0 | 0 |
| Infected biliary stent | 1 | 1 | 0 | 0 |
| Infected bone flap after craniotomy | 1 | 1 | 0 | 0 |

| | | | | |
|---|---|---|---|---|
| Infected burns | 1 | 1 | 0 | 0 |
| Injury due to fall in hospital | 1 | 1 | 0 | 0 |
| Injury due to fall at home after surgery | 1 | 1 | 0 | 0 |
| Injury due to fall in psychiatric institution | 1 | 1 | 0 | 0 |
| Leaking gastrostomy tube | 1 | 1 | 0 | 0 |
| Leaking suprapubic catheter | 1 | 1 | 0 | 0 |
| Lengthening of leg following hip replacement | 1 | 1 | 0 | 0 |
| Meningitis secondary to laminectomy | 1 | 1 | 0 | 0 |
| Methemoglobinemia due to maloprim | 1 | 1 | 0 | 0 |
| Miscarriage following chorionic villi sampling | 1 | 1 | 0 | 0 |
| Necrotising fasciitis | 1 | 0 | 0 | 1 |
| Neonatal ear infection | 1 | 1 | 0 | 0 |
| Neonatal forceps blade laceration | 1 | 1 | 0 | 0 |
| Neonatal laceration during LSCS | 1 | 1 | 0 | 0 |
| No, delay, inadequate investigation of cancer symptoms, signs | 1 | 0 | 0 | 1 |
| No, delay, inadequate investigation of malena | 1 | 1 | 0 | 0 |
| No, delay, inadequate investigation renal stones | 1 | 1 | 0 | 0 |
| No, delay, inadequate management dementia/alcohol withdrawal | 1 | 1 | 0 | 0 |
| No, delay, inadequate monitoring respiratory problem | 1 | 0 | 0 | 1 |
| No, delay, inappropriate diagnosis diabetes | 1 | 1 | 0 | 0 |
| No, delay, inappropriate management leg wound | 1 | 1 | 0 | 0 |
| No, delay, inappropriate management pyelonephritis | 1 | 1 | 0 | 0 |
| No, delay, inappropriate treatment laceration | 1 | 1 | 0 | 0 |
| No, delay, inappropriate treatment obstructed ureter | 1 | 1 | 0 | 0 |
| No, delay, poor investigation/management gout | 1 | 1 | 0 | 0 |
| No, inadequate treatment of endometriosis | 1 | 1 | 0 | 0 |
| No, inappropriate bowel preparation | 1 | 1 | 0 | 0 |

| | | | | |
|--|---|---|---|---|
| Non-thrombocytopaenic purpura, allergy to a drug, new | 1 | 1 | 0 | 0 |
| Paraphymosis resulting from urinary catheter | 1 | 1 | 0 | 0 |
| Pelvic inflammatory disease caused by IUD | 1 | 1 | 0 | 0 |
| Perforated peptic ulcer following unrelated operation | 1 | 1 | 0 | 0 |
| Perilymph fistula post stapedectomy | 1 | 1 | 0 | 0 |
| Peritonitis following appendectomy | 1 | 1 | 0 | 0 |
| Peritonitis following oocyte pickup | 1 | 1 | 0 | 0 |
| Phrenic nerve damage following carotid endarterectomy | 1 | 1 | 0 | 0 |
| Pleural effusion from pleuroperitoneal fistula | 1 | 1 | 0 | 0 |
| Pneumothorax following insertion subclavian catheter | 1 | 1 | 0 | 0 |
| Poor control of hypertension | 1 | 1 | 0 | 0 |
| Poor management of hereditary spherocytosis | 1 | 0 | 0 | 1 |
| Poor prevention child abuse | 1 | 1 | 0 | 0 |
| Poor prevention suicide | 1 | 0 | 0 | 1 |
| Portacath incorrectly placed | 1 | 1 | 0 | 0 |
| Post natal depression | 1 | 1 | 0 | 0 |
| Postoperative abscess - leg | 1 | 1 | 0 | 0 |
| Postoperative abscess - neck/thyroid surgery | 1 | 1 | 0 | 0 |
| Postoperative abscess - vascular surgery | 1 | 1 | 0 | 0 |
| Postoperative anaemia | 1 | 1 | 0 | 0 |
| Postoperative deformity of toe | 1 | 1 | 0 | 0 |
| Postoperative flexion deformity | 1 | 1 | 0 | 0 |
| Postoperative gangrene/necrosis, leg wound | 1 | 1 | 0 | 0 |
| Postoperative haematoma - arm | 1 | 1 | 0 | 0 |
| Postoperative haematoma - carpal tunnel | 1 | 1 | 0 | 0 |
| Postoperative haematoma - intra abdominal, cholecystectomy | 1 | 1 | 0 | 0 |
| Postoperative haematoma - ORIF clavicle | 1 | 1 | 0 | 0 |

| | | | | |
|--|---|---|---|---|
| Postoperative haematoma - pacemaker insertion | 1 | 1 | 0 | 0 |
| Postoperative haematoma - pelvic LSCS | 1 | 1 | 0 | 0 |
| Postoperative haematoma - unspecified | 1 | 1 | 0 | 0 |
| Postoperative hypertension | 1 | 1 | 0 | 0 |
| Postoperative nasal adhesions | 1 | 1 | 0 | 0 |
| Postpartum endometriosis | 1 | 1 | 0 | 0 |
| Postpartum endometritis | 1 | 1 | 0 | 0 |
| Postpartum haemorrhage, due to prostoglandins | 1 | 1 | 0 | 0 |
| Postpartum haemorrhage, no syntocinon | 1 | 1 | 0 | 0 |
| Premature discharge with gastroenteritis | 1 | 1 | 0 | 0 |
| Premature labour following amniocentesis | 1 | 1 | 0 | 0 |
| Problem with breast tissue expander | 1 | 1 | 0 | 0 |
| Problem with JJ stent | 1 | 1 | 0 | 0 |
| Problem with mitral valve | 1 | 1 | 0 | 0 |
| Pt received contaminated blood product | 1 | 1 | 0 | 0 |
| Puncture/perforation/tear - eye | 1 | 1 | 0 | 0 |
| Puncture/perforation/tear - oesophagus | 1 | 1 | 0 | 0 |
| Puncture/perforation/tear - pericardium | 1 | 1 | 0 | 0 |
| Reapplication plaster to leg | 1 | 1 | 0 | 0 |
| Recurrent epistaxis associated with hypertension | 1 | 1 | 0 | 0 |
| Recurrent keratofibroma | 1 | 1 | 0 | 0 |
| Recurrent labial fusion | 1 | 1 | 0 | 0 |
| Recurrent reflex sympathetic dystrophy | 1 | 1 | 0 | 0 |
| Recurrent small bowel obstruction | 1 | 1 | 0 | 0 |
| Re-excision neuroma | 1 | 1 | 0 | 0 |
| Renal pain following frusemide | 1 | 1 | 0 | 0 |
| Retained sutures | 1 | 1 | 0 | 0 |
| Retained vaginal pack | 1 | 1 | 0 | 0 |
| Scarring - CABG | 1 | 1 | 0 | 0 |
| Scrotal swelling following inguinal hernia | 1 | 1 | 0 | 0 |
| Sedative overdose | 1 | 1 | 0 | 0 |

| | | | | |
|---|---|---|---|---|
| Seizure post partum | 1 | 1 | 0 | 0 |
| Septic arthritis following repair of fracture | 1 | 1 | 0 | 0 |
| Septic arthritis following steroid injection | 1 | 1 | 0 | 0 |
| Serum sickness secondary to anti-thymocytic | 1 | 1 | 0 | 0 |
| Sinus after episiotomy | 1 | 1 | 0 | 0 |
| Skin ulcer due to pressure from plaster | 1 | 1 | 0 | 0 |
| Stenosis of stoma | 1 | 1 | 0 | 0 |
| Stephen Johnson syndrome secondary to a drug, new | 1 | 1 | 0 | 0 |
| Theophylline overdose, toxicity | 1 | 1 | 0 | 0 |
| Thrombolytic overdose | 1 | 1 | 0 | 0 |
| Thrombophlebitis after vein ligation | 1 | 1 | 0 | 0 |
| Tonsillectomy requiring redo | 1 | 1 | 0 | 0 |
| Torn meniscus following arthroscopy | 1 | 1 | 0 | 0 |
| Traumatic haematoma to soft palate following difficult intubation | 1 | 1 | 0 | 0 |
| Unnecessary blood transfusion - reaction | 1 | 1 | 0 | 0 |
| Unnecessary bronchoscopy | 1 | 1 | 0 | 0 |
| Unnecessary drainage of pilonidal sinus | 1 | 1 | 0 | 0 |
| Unnecessary laminectomy and decompression | 1 | 1 | 0 | 0 |
| Unnecessary liver biopsy | 1 | 0 | 0 | 1 |
| Unnecessary LSCS | 1 | 1 | 0 | 0 |
| Unnecessary nephrostomy | 1 | 1 | 0 | 0 |
| Unnecessary radical excision of BCC | 1 | 1 | 0 | 0 |
| Unnecessary sympathectomy | 1 | 1 | 0 | 0 |
| Unplanned admission following pelvic surgery | 1 | 1 | 0 | 0 |
| Unsatisfactory cosmetic result - face | 1 | 1 | 0 | 0 |
| Unsuccessful reduction dislocation | 1 | 1 | 0 | 0 |
| Urinary incontinence following forceps delivery | 1 | 1 | 0 | 0 |
| Urinary tract infection in pregnancy | 1 | 1 | 0 | 0 |
| Urine retention secondary to anticholinergic medication | 1 | 1 | 0 | 0 |

| | | | | |
|--|---|---|---|---|
| Urticarial rash ? cause | 1 | 1 | 0 | 0 |
| Uterine bleeding secondary to hormone replacement therapy | 1 | 1 | 0 | 0 |
| Vocal cord paralysis following neck procedure | 1 | 1 | 0 | 0 |
| Vulval swelling, allergic reaction to a drug, new | 1 | 1 | 0 | 0 |
| Wound breakdown/dehiscence necrosis - no evidence of infection following leg procedure | 1 | 1 | 0 | 0 |
| Wound breakdown/dehiscence necrosis - no evidence of infection following LSCS | 1 | 1 | 0 | 0 |
| Wound breakdown/dehiscence necrosis - no evidence of infection following skin graft | 1 | 1 | 0 | 0 |
| Wound breakdown/dehiscence necrosis - no evidence of infection following spinal procedure | 1 | 1 | 0 | 0 |
| Wound breakdown/dehiscence necrosis - with evidence of infection following episiotomy | 1 | 1 | 0 | 0 |
| Wound breakdown/dehiscence necrosis - with evidence of infection following head and neck procedure | 1 | 1 | 0 | 0 |
| Wound breakdown/dehiscence necrosis - with evidence of infection following spinal procedure | 1 | 1 | 0 | 0 |
| Wound infection following eye procedure | 1 | 1 | 0 | 0 |
| Wound infection following female genital tract procedure | 1 | 1 | 0 | 0 |
| Wound infection following prostate procedure | 1 | 1 | 0 | 0 |